

In the Claims:

1-38. Canceled.

39. (Currently amended) An isolated polypeptide having at least 80% amino acid sequence identity to:

- (a) the amino acid sequence of the polypeptide of SEQ ID NO: 292 ~~shown in Figure 104 (SEQ ID NO:292);~~
- (b) the amino acid sequence of the polypeptide of SEQ ID NO: 292 ~~shown in Figure 104 (SEQ ID NO:292),~~ lacking its associated signal peptide;
- (c) the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO: 292 ~~shown in Figure 104 (SEQ ID NO:292);~~ or
- (d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209439,

wherein said polypeptide ~~is capable of inducing an immune or~~ induces an inflammatory response.

40. (Currently amended) The isolated polypeptide of Claim 39 having at least 85% amino acid sequence identity to:

- (a) the amino acid sequence of the polypeptide of SEQ ID NO: 292 ~~shown in Figure 104 (SEQ ID NO:292);~~
 - (b) the amino acid sequence of the polypeptide of SEQ ID NO: 292 ~~shown in Figure 104 (SEQ ID NO:292),~~ lacking its associated signal peptide;
 - (c) the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO: 292 ~~shown in Figure 104 (SEQ ID NO:292);~~ or
 - (d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209439,
- wherein said polypeptide ~~is capable of inducing an immune or~~ induces an inflammatory response.

41. (Currently amended) The isolated polypeptide of Claim 39 having at least 90% amino acid sequence identity to:
- (a) the amino acid sequence of the polypeptide of SEQ ID NO: 292 shown in Figure 104 (SEQ ID NO:292);
 - (b) the amino acid sequence of the polypeptide of SEQ ID NO: 292 shown in Figure 104 (SEQ ID NO:292), lacking its associated signal peptide;
 - (c) the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO: 292 shown in Figure 104 (SEQ ID NO:292); or
 - (d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209439, wherein said polypeptide ~~is capable of inducing an immune or~~ induces an inflammatory response.
42. (Currently amended) The isolated polypeptide of Claim 39 having at least 95% amino acid sequence identity to:
- (a) the amino acid sequence of the polypeptide of SEQ ID NO: 292 shown in Figure 104 (SEQ ID NO:292);
 - (b) the amino acid sequence of the polypeptide of SEQ ID NO: 292 shown in Figure 104 (SEQ ID NO:292), lacking its associated signal peptide;
 - (c) the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO: 292 shown in Figure 104 (SEQ ID NO:292); or
 - (d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209439, wherein said polypeptide ~~is capable of inducing an immune or~~ induces an inflammatory response.
43. (Currently amended) The isolated polypeptide of Claim 39 having at least 99% amino acid sequence identity to:
- (a) the amino acid sequence of the polypeptide of SEQ ID NO: 292 shown in Figure 104 (SEQ ID NO:292);

- (b) the amino acid sequence of the polypeptide of SEQ ID NO: 292 ~~shown in Figure 104 (SEQ ID NO:292)~~, lacking its associated signal peptide;
 - (c) the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO: 292 ~~shown in Figure 104 (SEQ ID NO:292)~~; or
 - (d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209439, wherein said polypeptide is ~~capable of inducing an immune or~~ induces an inflammatory response.
44. (Currently amended) An isolated polypeptide comprising:
- (a) the amino acid sequence of the polypeptide of SEQ ID NO: 292 ~~shown in Figure 104 (SEQ ID NO:292)~~;
 - (b) the amino acid sequence of the polypeptide of SEQ ID NO: 292 ~~shown in Figure 104 (SEQ ID NO:292)~~, lacking its associated signal peptide;
 - (c) the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO: 292 ~~shown in Figure 104 (SEQ ID NO:292)~~; or
 - (d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209439.
45. (Currently amended) The isolated polypeptide of Claim 44 comprising the amino acid sequence of the polypeptide of SEQ ID NO: 292 ~~shown in Figure 104 (SEQ ID NO:292)~~.
46. (Currently amended) The isolated polypeptide of Claim 44 comprising the amino acid sequence of the polypeptide of SEQ ID NO: 292 ~~shown in Figure 104 (SEQ ID NO:292)~~, lacking its associated signal peptide.
47. (Currently amended) The isolated polypeptide of Claim 44 comprising the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO: 292 ~~shown in Figure 104 (SEQ ID NO:292)~~.
48. Canceled.

49. (Allowed) The isolated polypeptide of Claim 44 comprising the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209439.
50. (Allowed) A chimeric polypeptide comprising a polypeptide according to Claim 44 fused to a heterologous polypeptide.
51. (Allowed) The chimeric polypeptide of Claim 50, wherein said heterologous polypeptide is an epitope tag or an Fc region of an immunoglobulin.